

DIN KONUS

M222000151010
KONC. konus DIN DN 15/10




- DIN 11852- RK 2
- Finish: Poleret
- 3.1 Certifikat kan leveres
- Kan leveres i forskellige overflade ruheder

**PRODUKTBEKRIVELSE**

Kan anvendes i levnedsmiddels- og pharmaceutisk industri.

Konus koncentrisk


- DIN 11852 - RK 2
- Finish: Poleret
- 3.1 Certifikat kan leveres

**DIN 11852 - RÆKKE 2**

DIM.	A	B	C	Vægt	AISI 304	AISI 316L
DN	mm	mm	mm	Kg.	Vare nr.	Vare nr.
15-10	16	10	11	0,01	M222200151010	M222200153010
20-10	20	10	18	0,01	M222200201010	M222200203010
20-15	20	16	7	0,01	M222200201015	M222200203015
25-15	26	16	18	0,01	M222200251015	M222200253015
25-20	26	20	11	0,01	M222200251020	M222200253020

Konus excentrisk

- DIN 11852 - RK2
- Finish: Poleret
- 3.1 Certifikat kan leveres



DIN 11852 - RÆKKE 2						
DIM.	A	B	C	Vægt	AISI 304	AISI 316L
DN	mm	mm	mm	Kg.	Vare nr.	Vare nr.
15-10	16	10	16,5	0,01	M222250151010	M222250153010
20-15	20	16	11	0,015	M222250201015	M222250203015
25-15	26	16	27,5	0,019	M222250251015	M222250253015
25-20	26	20	16,5	0,025	M222250251020	M222250253020
32-20	32	20	33	0,03	M222250321020	M222250323020
32-25	32	26	16,5	0,035	M222250321025	M222250323025
40-25	38	26	33	0,05	M222250401025	M222250403025
40-32	38	32	16,5	0,065	M222250401032	M222250403032
50-40	50	38	33	0,07	M222250501040	M222250503040
65-50	66	50	44	0,105	M222250651050	M222250653050
80-65	81	66	41	0,14	M222250801065	M222250803065
100-80	100	81	52,5	0,195	M222251001080	M222251003080
125-100	125	100	68,5	0,285	M222251251100	M222251253100

150-125	150	125	68,5	0,29	M222251501125	M222251503125