

GLASSIKRING (6X32MM)

MI6AG25V0,1

Sikring MI 6x32 hurtig 250V AC 0,1A




- 250 V AC
- 0,1-20 A
- Hurtig / langsom

**PRODUKTBESKRIVELSE**

For tekniske diagrammer og anden teknisk specifikation kontakt produktansvarlig for EL-tavle.

Datablad for Mersen glassikringer

Godkendelse	
	IEC-127-2 Standard Sheet 4

MÅL

6x32	mm
A	31,8
B	6,35

Bestillingsnr.	Ampere	Antal Mindste bestillingsantal
MI6AG25V0,1	100 mA	20 stk..
MI6AG25V0,125	125 mA	20 stk..
MI6AG25V0,15	150 mA	20 stk.
MI6AG25V0,2	200 mA	20 stk.
MI6AG25V0,25	250 mA	20 stk.
MI6SF25V0,315	315 mA	20 stk..
MI6SF25V0,4	400 mA	20 stk.

MI6SF25V0,5	500 mA	20 stk.
MI6SF25V0,63	630 mA	20 stk..
MI6SF25V0,8	800 mA	20 stk.
MI6SF25V1	1 A	20 stk.
MI6SF25V1,25	1,25 A	20 stk.
MI6SF25V1,6	1,6 A	20 stk.
MI6SF25V2	2 A	20 stk.
MI6SF25V2,5	2,5 A	20 stk.
MI6SF25V3,15	3,15 A	20 stk.
MI6SF25V4	4 A	20 stk..
MI6SF25V5	5 A	20 stk.
MI6SF25V6,3	6,3 A	20 stk..
MI6SF25V8	8 A	20 stk.
MI6SF25V10	10 A	16 stk.
MI6SF25V12,5	12,5 A	16 stk.
MI6SF25V16	16 A	16 stk.
MI6SF25V20	20 A	16 stk..
Trægsikring		
MI6SB25V0,062	62 mA	20 stk.
MI6SB25V0,08	80 mA	20 stk..
MI6SB25V0,1	100 mA	20 stk..
MI6SB25V0,125	125 mA	20 stk.
MI6SB25V0,15	150 mA	20 stk..
MI6SB25V0,175	175 mA	20 stk..
MI6SB25V0,2	200 mA	20 stk.
MI6SB25V0,25	250 mA	20 stk.
MI6SB25V0,3	20 stk	50 stk.
MI6SB25V0,375	375 mA	20 stk.
MI6SB25V0,4	400 mA	20 stk.
MI6SB25V0,5	500 mA	20 stk.
MI6SB25V0,6	600 mA	20 stk.
MI6SB25V0,75	750 mA	20 stk.
MI6SB25V1	1 A	20 stk.
MI6SB25V1,25	1,25 A	20 stk.
MI6SB25V1,5	1,5 A	20 stk.
MI6SB25V1,8	1,8 A	20 stk.

MI6SB25V2	2 A	20 stk.
MI6SB25V2,5	2,5 A	20 stk
MI6SB25V3	3 A	20 stk
MI6SB25V4	4 A	20 stk
MI6SB25V5	5 A	20 stk.
MI6SB25V6	6 A	20 stk..
MI6SB25V7	7 A	20 stk.
MI6SB25V8	8 A	20 stk.
MI6ST25V10	10 A	16 stk.
MI6ST25V12,5	12,5 A	16 stk.
MI6ST25V16	16 A	16 stk.
MI6ST25V20	20 A	16 stk.

For yderligere sortimentsinformation vedr. miniaturesikringer kontakt produktområde EI-tavle

SPECIFIKATIONER

Nominal strøm	0,1 A
---------------	-------

