

**AUER SIGNALHORN KLH/KDH**

710100004

KLH mini horn 92dB 12V DC med tragt



- Membransummer
- IP43
- 88-92dB

**PRODUKTBESKRIVELSE**

Sirene til indendørs og udendørs brug. Anvendes f.eks. i industrien og havne, mindre og billig membransummer til indendørs brug.

**SPECIFIKATIONER**

<b>Farve hus</b>	Grå RAL 7035
<b>IP-klasse</b>	IP43, NEMA Type 2
<b>Lydniveau max</b>	92 dB
<b>Forsyningsspænding</b>	12 V
<b>Forsyningsspænding DC max</b>	13,2 V DC
<b>Forsyningsspænding DC min</b>	10,8 V DC
<b>Montering</b>	Vertikal
<b>Nominel strøm max</b>	0,055 A
<b>Temperaturområde fra</b>	-25 °C
<b>Temperaturområde til</b>	50 °C
<b>Vægt</b>	180 g


<b>Antal toner</b>	1 pc
<b>Lydniveau min</b>	92 dB
<b>Koblingsklemme</b>	2,5 mm <sup>2</sup>

<b>Tonefrekvens min</b>	50 Hz
<b>Tonefrekvens max</b>	50 Hz
<b>Kabel indgang</b>	Bagsiden
<b>Nominel strøm min.</b>	0,055 A

The sound pressure decreases by 6 dB when doubling the distance; the following distance table is to be seen as indication, as also factors like tone type, wind speed, wind direction, humidity, weather conditions etc. do influence the sound pressure level.

Distance (m)	65	70	75	80	85	90	92	94	96	98	100	102	104	106	108	110	112	114	116	118	120
1	59	64	69	74	79	84	86	88	90	92	94	96	98	100	102	104	106	108	110	112	114
2	55	60	65	70	75	80	82	84	86	88	90	92	94	96	98	100	102	104	106	108	110
3	51	56	61	66	71	76	78	80	82	84	86	88	90	92	94	96	98	100	102	104	106
5	45	50	55	60	65	70	72	74	76	78	80	82	84	86	88	90	92	94	96	98	100
10	39	44	49	54	59	64	66	68	70	72	74	76	78	80	82	84	86	88	90	92	94
20	35	40	45	50	55	60	62	64	66	68	70	72	74	76	78	80	82	84	86	88	90
30	36	41	46	51	56	61	63	65	67	69	71	73	75	77	79	81	83	85	87	89	91
50	38	43	48	53	58	63	65	67	69	71	73	75	77	79	81	83	85	87	89	91	93
100	40	45	50	55	60	65	67	69	71	73	75	77	79	81	83	85	87	89	91	93	95
200	39	44	49	54	59	64	66	68	70	72	74	76	78	80	82	84	86	88	90	92	94
500	35	40	45	50	55	60	62	64	66	68	70	72	74	76	78	80	82	84	86	88	90

The sound pressure decreases by 6 dB when doubling the distance



The sound pressure decreases by 6 dB when doubling the distance; the following distance table is to be seen as indication, as also factors like tone type, wind speed, wind direction, humidity, weather conditions etc. do influence the sound pressure level.

Distance (m)	65	70	75	80	85	90	92	94	96	98	100	102	104	106	108	110	112	114	116	118	120
1	59	64	69	74	79	84	86	88	90	92	94	96	98	100	102	104	106	108	110	112	114
2	55	60	65	70	75	80	82	84	86	88	90	92	94	96	98	100	102	104	106	108	110
3	51	56	61	66	71	76	78	80	82	84	86	88	90	92	94	96	98	100	102	104	106
5	45	50	55	60	65	70	72	74	76	78	80	82	84	86	88	90	92	94	96	98	100
10	39	44	49	54	59	64	66	68	70	72	74	76	78	80	82	84	86	88	90	92	94
20	35	40	45	50	55	60	62	64	66	68	70	72	74	76	78	80	82	84	86	88	90
30	36	41	46	51	56	61	63	65	67	69	71	73	75	77	79	81	83	85	87	89	91
50	38	43	48	53	58	63	65	67	69	71	73	75	77	79	81	83	85	87	89	91	93
100	40	45	50	55	60	65	67	69	71	73	75	77	79	81	83	85	87	89	91	93	95
200	39	44	49	54	59	64	66	68	70	72	74	76	78	80	82	84	86	88	90	92	94
500	35	40	45	50	55	60	62	64	66	68	70	72	74	76	78	80	82	84	86	88	90

The sound pressure decreases by 6 dB when doubling the distance

