PRODUCT DESCRIPTION:
AP_T11

PRODUCT CODE:
APWT11RFH8

DYNAMIC 3D VIEW:

STATIC 3D VIEW:




tel. +39 039 9906408
+39 039 9903468
fax +39 039 9906203

Via Novarino 9/L
23899 Robbiate (LC)
ITALY

www.comepi.it
comepi@comepi.it
tecnico@comepi.it

TECHNICAL VIEW:



Datasheet creation date: 18/09/2020 11:02

tel. +39 039 9905408
+39 039 9903468
fax +39 039 9905203
Via Novarino 9/L
23899 Robbiate (LC)
ITALY
www.comepi.it
comepi@comepi.it
tecnico@comepi.it

DETAILS:

Part Number	APWT11RFH8
Casing Material	Reinforced thermoplastic
Width [mm]	30
IP Degree of Protection	IP67
Actuating Head	Metal plain plunger
Head Material	Thermoplastic head
Voltage supply	Electrodynamic energy generator
Approvals	Europe: RED 2014/53/EU
Reference Standards	IEC 60947-5-1 / EN 60947-5-1
Transmission Protocol	EnOcean 868
Wireless range outdoor	80 m outdoor
Wireless range indoor	20 m indoor
Operating Temperatures [°C]	-25°C ... +70°C
Stock Temperatures [°C]	-30°C ... +80°C
Switching Frequency [cycles/hour]	3600
Mechanical Durability [Millions of Operations]	1
Compatible receiver	RRH8

PRODUCT DRAWING RELEASE:

Datasheet creation date: 18/09/2020 11:02

Last Modification (geometry): 25/02/2019 14:37

tel. +39 039 9906408
+39 039 9903468
fax +39 039 9906203

Via Novarino 9/L
23899 Robbiate (LC)
ITALY

www.comepi.it
comepi@comepi.it
tecnico@comepi.it